

	Hits	Search Text	DBs
1	3178	track\$3 with message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	120	track\$3 with message and email and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	391	track\$3 with message and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	124	track\$3 with message and (e adj2 mail) and advertis\$5 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	15	track\$3 with message and (e adj2 mail) and advertis\$5 and logo and brand\$2 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	21	track\$3 with message and (e adj2 mail) and advertis\$5 and logo and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	477	(track\$3 with message).ab. and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	26	(track\$3 with message).ab. and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	3	(track\$3 with message and forward\$5).ab. and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	23	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and reward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and commercial and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	2	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and (ad or advertisement) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	reward\$4 with recipient\$1 with forward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	13	reward\$4 and (forward\$4 with (e adj mail))and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	reward\$4 same (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	17	(reward\$4 or bonus or gift or money) same (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	79	(reward\$4 or bonus or gift or money or point) same (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	4	(reward\$4) same (bonus or gift or money or point) and (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	4	(reward\$4) same (bonus or gift or money or point) and (forward\$4 same (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	17	(reward\$4) same (bonus or gift or money or point) and (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	26	(reward\$4) same (bonus\$3 or gift\$3 or money or point\$2) and (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	0	(reward\$4) same (bonus\$3 or gift\$3 or money or point\$2) same (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24	6	reward\$4 same (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1066	(reward\$4) same (money or point\$2) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	122	(reward\$4) same (money or point\$2) and advertisement\$2 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	6	reward\$4 same forward\$4 same (message or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	7	reward\$4 same forward\$4 same (mail or message) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	31	reward\$4 same forward\$4 and (message or mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	2	"5937162".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	68	(track\$3 and (message or (e adj2 mail)) and forward\$5).ab. and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	(track\$3 and (message or (e adj2 mail)) and forward\$5).ab. and reward\$5 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
33	0	"09635994".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	5	"635994".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	487	reward\$4 same forward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	577	(reward\$4 or rebate) same forward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	11	(reward\$4 or rebate) same forward\$4 and ((electronic adj mail) or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	1	(reward\$4 or rebate) same forward\$4 same ((electronic adj mail) or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	1	(reward\$4 or recompense or rebate) same forward\$4 same ((electronic adj mail) or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	3	reward\$4 same forward\$4 same message same (recipient or reciever or user) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	10	reward\$4 same forward\$4 same electron\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	1	reward\$4 same forward\$4 same electron\$4 same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	0	"rewarding the recipient" and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	0	"rewarding adj4 recipient" and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	0	rewarding adj4 recipient and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	122	reward\$3 adj4 (recipient or customer) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	0	reward\$3 adj4 (recipient or customer) and advertisment and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	26199 029	reward\$3 adj4 (recipient or customer) same varies (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	0	reward\$3 adj4 (recipient or customer) same varies and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	0	reward\$3 adj4 (recipient or customer) same vary and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
51	9	reward\$3 adj4 (recipient or customer) same (vary or range or differ or change) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	6	reward\$3 adj4 (recipient or customer) same (vary or range or differ or change) and (points or money) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	9	reward\$3 adj4 (recipient or customer) same (vary or range or differ or change) and (points or money or cash) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	0	recipient same report same (forwarding adj history) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	0	report same (forwarding adj history) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	414	report same forwarding and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	13	report same forwarding same (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	8	report with forwarding same (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
59	8	report with forwarding with (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	0	advertisement same logo same brand same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	0	advertisement same logo same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	7	advertisement same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	2312	advertis\$6 and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	333	advertis\$6 and (e adj2 mail) and logo and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	190	advertis\$6 same logo and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	144	advertis\$6 same logo and brand and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	0	advertis\$6 same logo same brand same (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
68	9	advertis\$6 same logo same brand and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	4	advertis\$6 same logo same brand and ((e adj2 mail) same advertis\$6) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	5	"019159".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	0	"10019159".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	1214	(track\$3 adj software) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	21	S72 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	21	S72 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	1214	(track\$3 adj software) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	21	S75 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	21	S75 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	1214	(track\$3 adj software) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	21	S78 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
80	1214	(track\$3 adj software) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	21	S80 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	61	S80 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	1214	(track\$3 adj software) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	594	(track\$3 adj software) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	44	S84 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	1	((track\$3 adj software) with ((e adj2 mail) or message)).ab. and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	44	((track\$3 adj software) with ((e adj2 mail) or message)) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	46	((track\$3 adj2 software) with ((e adj2 mail) or message)) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	2	S88 NOT S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
90	59	(track\$3 adj software).ab. and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	2	S90 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	281	(track\$3 NEAR5 software).ab. and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	2	S92 and (track\$3 adj software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	2	S92 and (track\$3 near5 software) with ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	14	S92 and (track\$3 near5 software) same ((e adj2 mail) or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	12510	((software) with ((e adj2 mail) or message)) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	3125	((software) with ((e adj2 mail) or message) with (includ\$5 or attach\$6)) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	474	((software) with ((e adj2 mail) or message) with (includ\$5 or attach\$6) with (transmit\$6 or send)) and (@pd < "20000327" or @ad < "20000327" or @rlad < "20000327" or @rlpd<"20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB